



UNMATCHED POWER. UNMATCHED CREATIVE FREEDOM. NVIDIA® QUADRO® P400


Essential Professional Graphics For Maximum Productivity

The NVIDIA Quadro P400 combines a 256 CUDA core Pascal GPU, large on-board memory and advanced display technologies to deliver great performance for a range of professional applications. 2 GB of ultra-fast GPU memory makes it easy to manage complex 2D and 3D models and the single-slot, low-profile form factor makes it compatible with even the most space and power-constrained chassis. Support for three 4K displays (4096x2160 @ 60Hz) with HDR color gives you a wide visual workspace to view your work in extremely high resolution.

Quadro cards are certified with a broad range of sophisticated professional applications, tested by leading workstation manufacturers, and backed by a global team of support specialists, giving you the peace of mind to focus on doing your best work. Whether you're developing revolutionary products or telling spectacularly vivid visual stories, Quadro gives you the performance to do it brilliantly.

FEATURES

- › Three mini DisplayPort 1.4 Connectors¹
- › DisplayPort with Audio
- › NVIDIA nView® Desktop Management Software
- › HDCP 2.2 Support
- › NVIDIA Mosaic²
- › NVIDIA Iray and MentalRay Support



SPECIFICATIONS

GPU Memory	2 GB GDDR5
Memory Interface	64-bit
Memory Bandwidth	Up to 32 GB/s
NVIDIA CUDA® Cores	256
System Interface	PCI Express 3.0 x16
Max Power Consumption	30 W
Thermal Solution	Active
Form Factor	2.713" H x 5.7" L, Single Slot, Low Profile
Display Connectors	3x mDP 1.4
Max Simultaneous Displays	3 direct, 3 DP 1.4 Multi-Stream
Display Resolution	3x 4096x2160 @ 60Hz 1x 5120x2880 @ 60Hz
Graphics APIs	Shader Model 5.1, OpenGL 4.5 ³ , DirectX 12.0 ⁴ , Vulkan 1.0 ³
Compute APIs	CUDA, DirectCompute, OpenCL™

¹ VGA/DVI/HDMI support via adapter/connector/bracket | ² Windows 7, 8, 8.1 and Linux | ³ Product is based on a published Khronos Specification, and is expected to pass the Khronos Conformance Testing Process when available. Current conformance status can be found at www.khronos.org/conformance | ⁴ GPU supports DX12.0 API, Hardware Feature Level 12_1

© 2017 NVIDIA Corporation. All rights reserved. NVIDIA, the NVIDIA logo, Quadro, nView, CUDA, and NVIDIA Pascal are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. OpenCL is a trademark of Apple Inc., used under license to the Khronos Group Inc. All other trademarks and copyrights are the property of their respective owners.


- 20% de Desconto

Adaptadores
Automação
Automotivos
Baterias e carreg.
Cabos
Caixas de som
Câmeras
Capas e cases
Cartuchos
CD-ROM drives e Zip
Chaveadores e KVM
Computadores
Conectores
Controladores
Coolers/dissipadores
Digitalizadores
Elétrica
Escritório
Estabilizador/Trafo
Fax/modem
Ferramentas
Filtros e protetores
Fones e Mics
Fontes
Gabinetes e racks
Games (acessorios)
Gravadores DVD, BD
Handheld
HD Discos rígidos/SSD
HUB e Switch
Impressoras
Lâmpadas/Iluminação
Linha Feminina
Maletas mochilas etc
Memórias
Memory cards
Monitores
Mouses e Tracks
Nobreaks
Notebooks/Netbooks
Placas de captura
Placas de som
Placas de vídeo
Placas mãe
Processadores
Produtos de Showroom
Projetores
Redes e outros
Scanners
Segurança
Servidores
Softwares
Suportes e bases
Tablet e celulares
Teclados
Telefonia e rádios
TV DVD Radio e Som
Voz sobre IP

Cabo de força EM Y DualLux 4.1.64 p/ 2 PCS 10A 1,8 m

Nosso Código: CBFORCA1P8M

Produto Fora de Linha



Descrição do produto:

- Cabo de força em Y Duallux com plugue NBR-14136, permitindo conectar 2 computadores a rede elétrica com 1 único cabo.
- Construído em conformidade com a nova norma NBR-14136, que suporta corrente máxima de até 10 A.
- Suporta uma voltagem de até 250 V.
- 1 conector NBR-14136 macho (liga-se na tomada) e 2 conectores IEC fêmea (liga-se no computador).
- Cabo com comprimento de 1,8 metros.

Características técnicas:

- Código do produto no fabricante: 4.1.64 ou 4.1.63
- Tensão máxima de isolamento do cabo: 500 V
- Tensão máxima suportada: 250 V
- Corrente: até 10 A
- Conformidade com as normas: NBR-14136
- Comprimento do cabo: 1,8 metros

Conectores:

- Conector NBR-14136 macho (liga-se na tomada)
- 2 conectores IEC fêmea (liga-se no computador)

Links relacionados:

- Acesse aqui para ver outros modelos de cabos de força disponíveis em nossa loja.

Acompanha:

- Cabo de força em Y Duallux 4.1.64

Garantia: 1 ano

Versão para Impressão

Antes de imprimir pense em sua responsabilidade com o MEIO AMBIENTE

Fabricante: DualLux

Nosso Código: CBFORCA1P8M

Código Fabricante: 4.1.64 / 0400100063

Grupo: Cabos

Sub Grupo: Força

Peso Bruto: 0,40 Kg

Produtos Relacionados

Cabo de força p/ PC c/ plugue 90 graus, Duallux com 3m

Com desconto de 5%


R\$ 12,00

Sem desconto

R\$ 12,63

Disponibilidade Imediata

Previsão de Recebimento



Cabo de força DualLux 4.1.19 p/ PC, FAX NBR14136 c/ 5m

Com desconto de 5%

R\$ 18,00

Sem desconto

R\$ 18,95

Disponibilidade Imediata

Previsão de Recebimento

ATERA Informática Ltda.

Rua Oliveira Alves, 147 - Ipiranga

04210-050 - São Paulo - SP

Telefone: **(11) 2272-2255**

Horário de funcionamento:

Como chegar - Ver Mapa
Venha visitar nossa loja física.

Segunda a Sexta: 09:30 às 18:00 Sábados: 9:00 às 13:00

© 1990-2018 ATERA Informática Ltda, CNPJ: 39.040.597/0001-33 - Todos os direitos reservados.
[Quem Somos](#) | [Política de privacidade](#) | [SAC](#) | [Trabalhe conosco](#) | [Acompanhe seu pedido](#)

<https://www.google.com/>[[Google]]

ind-[[Google]]