



Search

Q

🏠 / [Catalog](#) / [VIDEO WALLS](#) / [MULTIVIEWERS](#) / [SCALERS](#) / [CONVERTERS](#) / [ANI-PIP-41UHD](#)

Categories

[ACCESSORIES / PARTS](#)

[HDMI over FIBER](#)

[SWITCHERS](#)

[IP CONTROL](#)

[HDMI AUDIO INSERTER](#)

[TESTING EQUIPMENT](#)

[RECORDERS / LIVE STREAMING](#)

4x1 UHD 4K60 Quad/PiP/PoP Multiviewer Seamless Video Switcher

\$395.00

Model: ANI-PIP-41UHD

UPC: 859777007831



The ANI-PiP-41UHD 4K60 4x1 Multiviewer Seamless UHD Video Switcher was developed for the purpose of supporting higher output resolution (4K@60) for multiple sources on a single screen. It can combine up to four video signals onto a single UHD or HD display. The user can easily manage each input via the supplied Control Software and create any layout and position of any of the four inputs on a single monitor. This device supports full range of input video resolutions up to 4K@60 (RB) and audio RCA /Optical de-embedding supported for external audio distribution systems. This device can be controlled via front panel buttons, IR remote, RS-232 commands. This product has a 3 year warranty.

FEATURES


- HDMI 2.0b, HDCP 2.2 and HDCP 1.x compliant
- Support 18Gbps video bandwidth

AUDIO
AMPLIFIERS/
EXTRACTORS

VIDEO WALLS /
MULTIVIEWERS
/ SCALERS /
CONVERTERS

CAT5
EXTENDERS /
SPLITTERS /
DISTRIBUTION
AMPLIFIERS

"B" STOCK /
CLEARANCE



- Input and output resolutions support up to 4K@60Hz
- Support LPCM, AC3, DD+, DTS, DTS-HD, up to 7.1 audio channel
- Seamless switching between input channels and combined multiple images on single UHD monitor
- Up to (8) display modes: SINGLE, PIP, PBP (1), PBP (2), Triple (1), Triple (2), Quad (1), Quad (2)
- Seamless switching on single screen display mode
- Fast switching on multiview display mode
- Audio de-embedding via analog and optical fiber audio ports
- Support volume control and independent audio selection
- Support OSD navigation for advanced setting
- EDID management
- Control via front panel buttons, IR remote, RS-232 commands
- Compact design for easy and flexible installation

SPECIFICATION

- **Input Ports:** (4) HDMI IN [Type A, 19-pin female]
- **Output Ports:**
 - HDMI OUT [Type A, 19-pin female]
 - L/R OUTPUT [RCA]
 - OPTICAL OUTPUT [S/PDIF]
- **Control Ports:**
 - RS-232 [3pin-3.81mm phoenix connector]
 - IR EXT [3.5mm Stereo Mini-jack]
- **HDMI Compliance:** HDMI 2.0b
- **HDCP Compliance:** HDCP 2.2 / 1.x
- **Video Bandwidth:** 18Gbps
- **Video Resolution:** Up to 4K@60Hz
- **IR Level:** 5Vp-p
- **IR Frequency:** 38KHz
- **Color Space:** RGB, YCbCr 4:4:4, YCbCr 4:2:2, YCbCr 4:2:0
- **Color Depth:** 8 bpc (24 bit total)
- **Audio Formats:**
 - **HDMI:** PCM2.0/5.1/7.1CH, Dolby Digital/Plus, DTS, DTS High Res
 - **Analog audio [3.5mm L/R]:** PCM2.0

What's New?



EXAMPLE REMOTE ONLY

Extra Product
Remotes
\$25.00

Specials



2x1 UHD+
HDMI/DP to
HDMI Bi-
Directional AV
over IP AVX Fiber
Transceiver
(4K60 444) w/
HID USB
~~\$699.00~~
\$295.00

- **SPDIF (OPTICAL):** Dolby Digital, DTS 5.1, PCM2.0
- Note: It does not support HBR audio. For example Atmos.
- **ESD Protection:** Human Body Model:
 - ±8kV (air-gap discharge)
 - ±4kV (contact discharge)
- **Housing:** Metal Enclosure
- **Color:** Black
- **Dimensions (WxDxH):** 8.7 x .22 x 1.2 in (220x100x30mm)
- **Weight:** 1.4 lb / 620g
- **Operating Temperature:** 0°C~40°C/ 32°F~104°F
- **Storage Temperature:** -20°C ~ 60°C/-4°F ~140°F
- **Relative Humidity:** 20~90% RH (non-condensing)
- **Power Consumption (Max):** 10W (Max)
- **Power Supply:** Input: AC 100 - 240V 50/60Hz / Output: DC 12V/2.5A (US/EU standard, CE/FCC/UL certified)

INCLUDED

- 4K60 4x1 Multiviewer Seamless UHD Video Switcher
- IR Remote
- 3pin-3.81mm Phoenix Connector (male)
- 38KHz IR Wideband Receiver Cable (1.5M)
- (2) Mounting Ears
- (4) Machine Screws (KM3*4)
- (4) Rubber Feet
- 12V/2.5A Locking Power Adapter
- Users Guide

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Reviews

Add To Cart

We Accept



SSL Certificate
Info

INFORMATION

Where To Buy

General
Technical
Support

Shipping and
Return Policy

RETURN FOR
SERVICE
(RMA)

RETURN FOR
REFUND
(RMA)

Conditions of
Use

Contact Us

Mission
Statement

Website
Privacy Policy

California
Resident
Privacy Policy

Website Terms
of Use

Copyright © 2025 A-NeuVideo, Inc.

